

METALMASTER SG-420



Hydraulic Guillotine

1300 x 2mm Mild Steel Shearing Capacity




METALMASTER SG-420 Hydraulic Guillotine



Front View



Left view



Front Sheet Supports



Squaring Guide



Control Panel



Rear Back Gauge



Rear View



Electric Safety Sensor



Isolation Switch & Rear
 Guard Reset Button



Roving Foot Pedal



Shown with Optional Ball
 Transfer Tables

Description

The SG-420 compact hydraulic guillotine is a machine that should be in every sheet metal fabrication shop. This 1300mm guillotine will easily cut 2mm mild steel over its full length and operates on 240 volt 15 amp single phase power. The SG-420 comes complete with an adjustable back gauge for precise repeatability. It also comes standard with a squaring arm and front sheet supports.



METALMASTER SG-420 Hydraulic Guillotine

Features

- 1300mm x 2mm cutting capacity
 - 2.2kW / 3hp 240V motor
 - 880mm work table height
 - Adjustable backgauge
 - Safety photo electric rear guarding with 3 beams
 - Safety reset rear guarding button mounted to back of electrical box
 - Roving foot pedal control
 - Front arm supports & squaring guide
 - Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
1. Guillotine is run & tested prior delivery
 2. Hydraulic oil is included with machine

Specifications

ORDER CODE	S535
Model	SG-420
Shearing Capacity - Mild Steel	2mm
Shearing Capacity - Stainless Steel	~
Shearing Length	1300mm
Backgauge Travel	550mm
Backgauge Control	~
Pneumatic Sheet Supports	~
Quick Action Blade Clearance Adjustment	~
Backgauge Type	Manual
Strokes / min	~
Blade Angle	~
Throat Depth	~
Motor Power	2.2kW / 3hp
Motor Voltage	240V
Weight (Nett)	560kg