

METALMASTER PB-422A



Manual Panbrake

1250 x 2mm Mild Steel Bending Capacity




METALMASTER PB-422A Manual Panbrake




Digital Angle Readout



Quick Head Adjustment for Material Thickness



Top Beam Support Stop Lever



Removable Extra Long Fingers



Rear Manual Backgauge



Rear Back Gauge

Features

- 1250mm x 2mm capacity
- Extended fingers allows bending of pans or boxes to a depth of 230mm
- Quick head adjustment mechanism to suit your material thickness
- Ground segmented fingers can be repositioned to suit many applications
- Heavy duty steel fabricated frame provides accurate bends
- Safety top beam support stop lever located on right side of machine
- Grease nipples located on all rotating parts
- Quick action beam adjustment for varying material thickness
- Removable individual bending fingers for pans or boxes
- Mild steel capacity is rated on hot rolled material with 250MPA



METALMASTER PB-422A Manual Panbrake

Includes

- Includes digital angle readout with CR2032 battery
- Quick Head Adjustment for Material Thickness
- Rear manual backgauge

Specifications

ORDER CODE	S262
Model	PB-422A
Bending Capacity - Mild Steel	2mm
Cutting Capacity - Mild Steel	~
Material Length Capacity	1250mm
Weight (nett)	860kg