


RADIUS MASTER RM-48




Radius Master Series 2 - Pedestal Belt Linisher Sander


50 x 1220mm Belt Size




RADIUS MASTER RM-48 Radius Master Series 2 - Pedestal Belt Linisher Sander



Side View




Features




Rotates in Seconds for the following Linishing Applications




Side View



Small Wheel Selection for Notching & Contouring




For Fine Sharpening or Fast Metal Removal




Hollow Grinding & Micro Finishing on 8 inch Precision Ground Wheel



Flat Grinding on Platen



Tilting Table for Contouring & Pipe Notching




Accurate Tracking Produces Sharp Corners on Quick Release Toolrest



Accurate Squaring & Chamfering




Internal Pipe Chamfering




External Pipe Chamfering



De burring & Finishing Irregular Shapes



Irregular Shapes



Accurate Notching

RADIUS MASTER RM-48 Radius Master Series 2 - Pedestal Belt Linisher Sander




Tilting Table for Contouring & Pipe Notching



Includes Pedestal Stand



Optional Mobile Base (L098)



Optional Platen Table (L097)

Description

Radius Master has many user friendly features that set it apart. No time is lost in dismantling and changing accessories. In the case of semi-production work, time saved can be hours per day. The guards covering the contact wheels are easy to engage and disengage. The handle position can be adjusted on all clamp levers. The ease of selection, belt change, belt tracking and its versatility make using this machine a pleasant hands-on experience.

Radius Master has proven an invaluable aid by engineers, fabricators, welders, fitters, balustrade and stainless specialists, foundries, toolmakers, rural manufacturers, mechanics, restorers, aircraft engineers, medical equipment manufacturers, sculptors, knife makers, model makers, many universities and the CSIRO.

Features

- 7 work stations, 5 contact wheels (Ø25-Ø200mm), side tilt for pipe notching - all instantly accessible
- Uses include contouring, squaring, facing, deburring (inside tube included), sharpening, all stainless finishes, texturing, micro finishing and polishing
- Outstanding tracking allows notching sharp corners at the very edge of the belt. 3 x Plus better belt life
- 50 x1220mm belt (6 sec belt change)
- 240V 1.5kW MOTOR totally enclosed with overload protection
- Dust proof switch and 10ft (3m) lead and plug provided
- Can be laid on its side for profiling pipe notching etc. Table tilts to 45°
- The only belt grinder that accurately and rigidly tracks the heaviest backed belts (essential in drill & cutter sharpening)
- Sealed bearings teflon gaskets - adjustable pivots give 20 plus years life expectancy - Designed from 35 years experience in belt grinding
- Performance and durability backed by a 2 year commercial warranty
- Includes Pedestal stand
- Made in Australia



RADIUS MASTER RM-48 Radius Master Series 2 - Pedestal Belt Linisher Sander

Includes

- Tilting top stand & base plate
- Tool rest
- Notching tilt table
- 1 x zirconia belt
- 5 contact wheels (Ø25-200mm)

Specifications

ORDER CODE	L096
Model	RM-48 SERIES 2
Belt Size	50 x 1220mm
Motor Power	3000fpm (914mpm)
Voltage	1.5kW / 2hp
Weight (nett)	49.5kg