

## METALMASTER PR-133A



### Motorised Plate Curving Rolls

1300 x 2.5mm Mild Steel Capacity



**METALMASTER PR-133A Motorised Plate Curving Rolls**



Right View



Rear View




Side View



Control Panel




Swing Out Top Roller



Motorised Up and Down Rear Curving Roller Left Side



Motorised Up and Down Rear Curving Roller Right Side



Hand Wheel For Material Thickness Adjustment



Swing Out Top Roller Handle



Top Swing Out Roller Micro Switch



Conical Bending Guide Roller



Wire Groove Rolls



Safety Wire Interlock System



Foot Control



Isolation Switch



## METALMASTER PR-133A Motorised Plate Curving Rolls

### Features

- Initial pinch rolls with pre-bending
  - Motorised up & down rear curving roll enables quick & easy pre-bending
  - Mobile foot pedal control with digital readout display
  - Two rolls are powered by reduction gearbox drive system
  - Swing out top roller enables cone or cylinder to be removed
  - Safety wire interlock system with emergency shut-off
  - Precision rolls including wiring grooves
  - Includes a conical bending guide roller
- 
- Mild steel capacity is rated on hot rolled material with 250MPA

### Specifications

|                                 |                     |
|---------------------------------|---------------------|
| <b>ORDER CODE</b>               | S802                |
| <b>Model</b>                    | PR-133A             |
| <b>Rolls Type</b>               | Initial Pinch       |
| <b>Capacity - Mild Steel</b>    | 2.5mm               |
| <b>Useful Length</b>            | 1300mm              |
| <b>Minimum Rolling Diameter</b> | 110mm               |
| <b>Roll Diameter</b>            | 90mm                |
| <b>Motor Power</b>              | 1.1kW / 1.5hp       |
| <b>Motor Voltage</b>            | 415V                |
| <b>Dimensions (LxWxH)</b>       | 1800 x 640 x 1000mm |
| <b>Weight (nett)</b>            | 645kg               |