

## HAFCO METALMASTER HM-51B

**Turret Milling Machine** 

# (X) 580mm (Y) 190mm (Z) 350mm







SHAW MACHINERY 12 FILMER ST CLONTARF, QLD 4019 PH: 0738832731

### HAFCO METALMASTER HM-51B Turret Milling Machine



3 Axis Digital Read Out with Holder



3 Axis Digital Read Out



Head Controls




Head with Drawbar



**Rotating Head** 



Adjustable Swivel and Sliding Ram



**Control Panel** 



Spindle Speed Chart



Safety Cutter Guard



Spindle with Lock Handle



Concertina Slideway Cover



Coolant Pump



**Quill Hand Wheels** 



X Axis Power Feed with Rapid



Quill Hand Wheels Dials



Work Light and Coolant Hose







SHAW MACHINERY 12 FILMER ST CLONTARF, QLD 4019 PH: 0738832731

#### HAFCO METALMASTER HM-51B Turret Milling Machine



X Axis Dial Power Feed Slide





Y Axis Dial



Z Axis Handle



Z Axis Dial

#### Description

A well-built entry level turret milling / drilling machine with a powerful continuous-load 2.2kW / 3hp motor, intended for trade use. The work table is precision made with adjustable dovetail guides and is recognised for its 580mm X axis by 190mm Y axis travel. There is a three armed handle on the side for drilling also incorporating a fine feed control hand wheel on the front for milling. The screwed belt guard covers on each side of the head offer secure safety whilst providing easy access to the belts and pulleys for speed changing.

Other features include 3 axis digital readout system, taper roller bearing support for the spindle, easy-to-read drilling depth stop, low voltage work light, coolant system, X axis power feed unit, drill chuck, 2 & 3 morse taper adaptors. The combination of generous sized vertical support and rugged cast iron construction throughout reduces vibration and guarantees accurate and chatter-free operation.

#### Features

- 3 Axis digital readout system
- Mill head tilts to ±90° left to right
- 300mm horizontally sliding and rotating ram
- NT30 vertical spindle is hardened and ground
- · Precision-ground dovetail slide-ways and table
- · Precision milling table incorporating machined T-slots
- · Rear concertina slide-way cover
- · Forward and reverse on/off switch
- Fine hand wheel operated quill feed
- Swarf & splash tray



SHAW MACHINERY 12 FILMER ST CLONTARF, QLD 4019 PH: 0738832731

### HAFCO METALMASTER HM-51B Turret Milling Machine

- · Spindle lock for quill
- Metric dial graduations @ 0.02mm for X , Y & Z-Axis
- Vertical quill hand-wheel dial graduations @ 0.05mm
- · All slides utilise dovetail construction for maximum rigidity
- \* Note: X & Y travels maybe reduced due to digital readout scales and safety stops
- \* Note: Optional Y & Z power feeds require additional parts & fitting (not included)

#### Includes

- 3 Axis digital readout system
- X-Axis power feed
- Safety cutter guard
- Swarf tray
- Coolant system
- Halogen lamp
- Drill chuck & arbor
- 2 & 3MT adaptors
- Boring bar arbor

#### Specifications

ORDER CODE	M577
MODEL	HM-51B
Digital Readout	3-Axis Digital Readout
Туре	Vertical
Table Size (mm)	1000 x 240
Column Type	~
Spindle Taper - Vertical	NT30
Spindle Taper - Horizontal	~
Longitudinal Travel (X-Axis) (mm)	580*
Cross Travel (Y-Axis) (mm)	190*
Vertical Travel (Z-Axis) (mm)	350
Type of Slides	Dovetail
Ram Travel (mm)	350
Spindle to Table (mm)	390
Spindle Travel / Diameter (mm)	125 / 90
Throat Depth (max.) (mm)	550
Tilting Head (Left ~ Right)	±90º
Tilting Head (Forward ~ Back)	Fixed
Drilling Capacity (mm)	30
End Milling Capacity (mm)	25
Face Milling Capacity (mm)	80
Power Feed - Quill (mm/rev)	Manual
Power Feed - Longitudinal (X-Axis) (mm/min)	20 - 2000
Power Feed - Cross (Y-Axis) (mm/min)	Optional *
Power Feed - Vertical (Z-Axis) (mm/min)	Optional *





## HAFCO METALMASTER HM-51B Turret Milling Machine

Table T-Slot Size (inch / mm)	14
Work Table Load Capacity (kg)	175
Spindle Speeds Vertical (No./ rpm)	9 (220 - 2400)
Spindle Speeds Horizontal (No./ rpm)	~
Motor Power - Vertical (kW / hp)	2.2/3
Motor Power - Horizontal (kW / hp)	~
Voltage / Amperage (V / amp)	240 / 10
Shipping Dimensions (L x W x H) (cm)	134 x 114 x 222
Nett Weight (kg)	850